NEW! See page U-5 for Non-Rolling Non-Skid Hardware

Material: Powder Coated Steel

16" and 20" Wide Ladders & Hardware Available

LIBRARIES • WINE CELLARS • KITCHENS • STORAGE AREAS



RAIL HEIGHT AND DISTANCE

for 8', 9', 10' standard ladders

103"

Distance from wall (ladder in climbing position) 19.35


115"

Rail heights (center of Rail)

to floor

Architectural Products by Outwater has made creating your own rolling ladder system simple and convenient. We've assembled a kit which provides all the hardware needed to build an **8 foot** ladder (9' & 10' also available). From the **whisper quiet top roller and non-marring wheels**, our hardware kits offer unsurpassed quality and value.

Finishes Available:



2 Rolling Ladder Kits Available Ultra-Quiet Bar Rollers



ROLLING **HOOK**HARDWARE KIT:

This application is used for **separate sections** of track. The rolling **hook** allows you to remove the ladder from one track and move to another track easily and quickly.



ROLLING **GLIDE**HARDWARE KIT:

This application is used for **one continuous run** of track. The rolling **glides** are locked onto track once installed.





Non-Marring Wheel Large (4" Dia.)





Roller With Brake

Brake is applied upon stepping on the ladder and has an adjustable spring to accommodate ladder weight.

ARCHITECTURAL PRODUCTS BY OUTWATER L.L.C. • www.outwater.com

Material: Powder Coated Steel



Order Your Rolling Ladder In A Few Easy Steps:

Choose Your Kit for 16" or 20" Wide Ladders

Step 1

- Rolling **Hook** Hardware Kit for multiple, separate sections of track
- Rolling Glide Hardware Kit for one continuous run of track.

Step 2

How Many Feet of Track Do You Need? Available in 4' and 8' lengths, & 90° curves.

Step 3

How Many Support Brackets?

Vertical or Horizontal brackets available. You'll need one for every 32". (Be sure to order correctly for Rolling **Hook** Hardware Kit or Rolling **Glide** Hardware Kit).



How Many Splice Kits Will You Need?

You'll need one for each length of track you're joining.

Step 5

How Many Pair of End Stops?

You'll need 1 pair for each run of track.

Step 6

Choose Your Ladder 16" or 20" Wide

Maple, Oak, Cherry or Walnut.
Don't forget 1 or 2 additional rung supports if
you are ordering a 9' or 10' ladder.
See Page U-7 For Ladders



Material: Powder Coated Steel





Build Your Own Rolling Ladder Kit



ROLLING HOOK Hardware Kits:

For multiple, separate sections of track

Kit Includes:

- Lower ladder wheels (2)
- Hook top guides (2)
- Rung support rods (7)
- · All fasteners needed to make an 8 ft. ladder



ROLLING GLIDE Hardware Kits:

For one continuous run of track

Kit Includes:

- Lower ladder wheels (2)
- Upper rolling top guides (2)
- Rung support rods (7)
- · All fasteners needed to make an 8 ft. ladder

16" WIDE Ladder Kits

16" Wide~ROLLING HOOK~Traditional Wheels

	Part #	Finish
	RHK-HOOK-10	Matte Black
NO	RHK-HOOK-20	Oil Rubbed Bronze
BRAKE	RHK-HOOK-30	Hammered Antique Brass
	RHK-HOOK-40	Satin Nickel
WITH BRAKE	RHK-HOOK-10BRK	Matte Black
	RHK-HOOK-20BRK	Oil Rubbed Bronze
	RHK-HOOK-30BRK	Hammered Antique Brass
	RHK-HOOK-40BRK	Satin Nickel
	RHK-HOOK-04BRK	Polished Chrome

16" Wide~ROLLING HOOK~Contemporary Wheels

	Part #	Finish
	RHK-HOOK-10-CON	Matte Black
NO	RHK-HOOK-20-CON	Oil Rubbed Bronze
BRAKE	RHK-HOOK-30-CON	Hammered Antique Brass
	RHK-HOOK-40-CON	Satin Nickel

16" Wide~ROLLING GLIDE~Traditional Wheels

	Part #	Finish
	RHK-10	Matte Black
NO	RHK-20	Oil Rubbed Bronze
BRAKE	RHK-30	Hammered Antique Brass
	RHK-40	Satin Nickel
WITH BRAKE	RHK-10-BRK	Matte Black
	RHK-20-BRK	Oil Rubbed Bronze
	RHK-30-BRK	Hammered Antique Brass
	RHK-40-BRK	Satin Nickel
	RHK-04-BRK	Polished Chrome

16" Wide~ROLLING GLIDE~Contemporary Wheels

	Part #	Finish
	RHK-10-CON	Matte Black
NO	RHK-20-CON	Oil Rubbed Bronze
BRAKE	RHK-30-CON	Hammered Antique Brass
	RHK-40-CON	Satin Nickel

PLEASE NOTE: Outside width of ladder should be built 16" wide to accept the ladder step support rods. Track can be cut to size. The track requires support brackets every 32".

20" WIDE Ladder Kits

20" Wide~ROLLING HOOK~Traditional Wheels

	Part #	Finish
	RHK-HOOK-10-20	Matte Black
NO	RHK-HOOK-20-20	Oil Rubbed Bronze
BRAKE	RHK-HOOK-30-20	Hammered Antique Brass
	RHK-HOOK-40-20	Satin Nickel
WITH BRAKE	RHK-HOOK-10BRK-20	Matte Black
	RHK-HOOK-20BRK-20	Oil Rubbed Bronze
	RHK-HOOK-30BRK-20	Hammered Antique Brass
	RHK-HOOK-40BRK-20	Satin Nickel
	RHK-HOOK-04BRK-20	Polished Chrome

20" Wide~ROLLING HOOK~Contemporary Wheels

	Part #	Finish	
	RHK-HOOK-10-CON-20	Matte Black	
NO	RHK-HOOK-20-CON-20	Oil Rubbed Bronze	
BRAKE	RHK-HOOK-30-CON-20	Hammered Antique Brass	
	RHK-HOOK-40-CON-20	Satin Nickel	

20" Wide~ROLLING GLIDE~ Traditional Wheels

	Part #	Finish
	RHK-10-20	Matte Black
NO	RHK-20-20	Oil Rubbed Bronze
BRAKE	RHK-30-20	Hammered Antique Brass
	RHK-40-20	Satin Nickel
WITH BRAKE	RHK-10-BRK-20	Matte Black
	RHK-20-BRK-20	Oil Rubbed Bronze
	RHK-30-BRK-20	Hammered Antique Brass
	RHK-40-BRK-20	Satin Nickel
	RHK-04-RRK-20	Polished Chrome

20" Wide~ROLLING GLIDE~Contemporary Wheels

Part #		Finish	
	RHK-10-CON-20	Matte Black	
NO	RHK-20-CON-20	Oil Rubbed Bronze	
BRAKE	RHK-30-CON-20	Hammered Antique Brass	
	RHK-40-CON-20	Satin Nickel	

<u>PLEASE NOTE:</u> Outside width of ladder should be built 20" wide to accept the ladder step support rods. Track can be cut to size. The track requires support brackets every 32".

(Components sold separately, see page U-4)





(See page U-7 for unassembled stain grade ladders)

Hardware Components Only For Rolling & Non-Rolling Hardware

Material: Powder Coated Steel



Track (3 ft., 4 Ft., 6 Ft. or 8 Ft.)

1" diameter solid aluminum track

Part #	Size	Finish	
▲RLH-T3-CH	3 ft.	Polished Chrome	
RLH-T4-BK		Matte Black	
RLH-T4-ORB	4 ft.	Oil Rubbed Bronze	
RLH-T4-AB		Hammered Antique Brass	
RLH-T4-SN		Satin Nickel	
▲RLH-T4-CH		Polished Chrome	





Support Brackets (Vertical or Horizontal)

Recommended maximum spacing 32" ~ (Screws included)

For Rolling GLIDE Kits



Vertical

e
rass





	rı	7	o	n	

Part #	Finish
RLH-SPRT-BK-HZ	Matte Black
RLH-SPRT-ORB-HZ	Oil Rubbed Bronze
RLH-SPRT-AB-HZ	Hammered Antique Brass
RLH-SPRT-SN-HZ	Satin Nickel
RLH-SPRT-CH-HZ	Polished Chrome

For Rolling HOOK Kits



Vertical

Part #	Finish
RLH-HK-SUPPORT-BK	Matte Black
RLH-HK-SUPPORT-ORB	Oil Rubbed Bronze
RLH-HK-SUPPORT-AB	Hammered Antique Brass
RLH-HK-SUPPORT-SN	Satin Nickel
RLH-HK-SUPPORT-CH	Polished Chrome







Horizontal

Part #	Finish
RLH-HK-SPRT-BK-HZ	Matte Black
RLH-HK-SPRT-ORB-HZ	Oil Rubbed Bronze
RLH-HK-SPRT-AB-HZ	Hammered Antique Brass
RLH-HK-SPRT-SN-HZ	Satin Nickel
RLH-HK-SPRT-CH-HZ	Polished Chrome

Rung Supports

Material: Steel





Note: 7 Supports provided in each hardware kit

for 16" WIDE Ladders

Part #	Finish
RLH-RSK	Matte Black
RLH-RSK-CH	Polished Chrome

tor 20" WIDE Ladders		
Part # Finish		
RLH-RSK-20	Matte Black	
RLH-RSK-20-SN	Satin Nickel	
RLH-RSK-20-CH	Polished Chrome	

Step 4 Splice Kits

Steel support dowel included for joining multiple tracks





Part # **Finish** RLH-DOWEL Matte Black

End Stops (Sold in pairs)

FLAT End Stops



Part #	Finish
RLH-ESTOP-BK	Matte Black
RLH-ESTOP-ORB	Oil Rubbed Bronze
RLH-ESTOP-AB	Hammered Antique Brass
RLH-ESTOP-SN	Satin Nickel
RLH-ESTOP-CH	Polished Chrome


End Cap

▲ End cap required when cutting rail to length in order to create a clean, finished end. End stops are also required

Part #	Finish
RLH-ECAP-CH	Polished Chrome

BALL End Stops

Finish Part # RLH-BALLSTOP-BK Matte Black **RLH-BALLSTOP-ORB** Oil Rubbed Bronze **RLH-BALLSTOP-AB** Hammered Antique Brass **RLH-BALLSTOP-SN** Satin Nickel



Satin Nickel

RLH-IC-SN



Cost EffectiveSturdyStylish

NON-ROLLING LADDER HARDWARE KITS with NON-SKID FEET

Material: Powder Coated Steel

16" and 20" Wide Ladder Hardware Kits Available

Add a touch of elegance to your home or business with our new Non-Rolling Library Ladders.

Featuring non-skid feet & upper guide hooks, their graceful style & function will enhance any space.

Step 1


Build Your Own Non-Skid Ladder Kit

Kit Includes:

- Non-skid feet (2)
- Hook top guides (2)
- Rung support (7) for an 8 ft. ladder

See page U-4 for track, support brackets and other components. See page U-7 for unassembled staingrade wood ladders.





See page U-2 for rail height & projection.





Finishes Available: Oil Rubbed Bronze





16" WIDE Non-Skid Ladder Kits

Part #	Finish
LHK-NS-02	Satin Nickel
LHK-NS-07	Oil Rubbed Bronze
LHK-NS-08	Matte Black

20" WIDE Non-Skid Ladder Kits

Part #	Finish
LHK-NS-02-20	Satin Nickel
LHK-NS-07-20	Oil Rubbed Bronze
LHK-NS-08-20	Matte Black

Non-Skid Feet





Wood Components Only

Material: Staingrade, Unfinished & Sanded to 120 Grit

Step 6 Ladders


- 8 ft. 9 ft. 10 ft. unassembled ladder kits in 16" or 20" widths (Wood Components Includes: side rails, steps & top "turned" rung)
- · Available in Oak, Maple, Cherry & Walnut
- Pre-drilled holes for fasteners
- The sides dadoed for steps


16" WIDE Ladders


Part #	Description	Color
LDR-8-*	8'L x 16"W Unassembled Library Ladder	*OAK (Oak)
LDR-9-*	9'L x 16"W Unassembled Library Ladder	*MP (Maple) *CH (Cherry)
LDR-10-*	10'L x 16"W Unassembled Library Ladder	*WA (Walnut)


20" WIDE Ladders

	_ Trib_ Laaacii	
LDR-8-*-20	8'L x 20"W Unassembled Library Ladder	*OAK (Oak)
LDR-9-*-20	9'L x 20"W Unassembled Library Ladder	*MP (Maple) *CH (Cherry)
LDR-10-*-20	10'L x 20"W Unassembled Library Ladder	*WA (Walnut)










Steam Bent Wooden Hand Rails

Made From 1-1/4" x 1-1/4" stock

Part #	Color
RLH-HR-CH	Cherry
RLH-HR-MP	Maple
RLH-HR-RO	Red Oak
RLH-HR-WA	Walnut



See page U-4 for Rolling Ladder Hardware

Rung Supports

Material: Steel

Extra Rung Supports for ladders over 8' long LADDER: 8' 9' 10' # OF RUNG

SUPPORTS 7 8 9 REQUIRED:


Note: 7 Supports provided in each hardware kit

for 16" WIDE Ladders		
Part # Finish		
RLH-RSK	Matte Black	
RLH-RSK-CH	Polished Chrome	
for 20" WIDE Ladders		
Part #	Finish	
RLH-RSK-20	Matte Black	
RLH-RSK-20-SN	Satin Nickel	
RLH-RSK-20-CH	Polished Chrome	

Non-Skid Step Tread

Material: Clear PVC w/Adhesive back

RLH-NST-CL









ROLLING LADDER HOOK KIT

A Classy, Functional & Economical Ladder For Your Home

ROLLING LADDER KITS FEATURE...

Hardware Available in:

- 8 ft. & 12 ft. Track Lengths
- 4 Finishes:
 - Black
 - Polished Brass
 - Bronze
 - Satin Nickel

Wood Ladders Available in:

- 8 ft. & 9 ft. Heights
- 16" Wide
- Maple & Red Oak
- Finished & Unfinished







Hardware Includes

	TRACK LENGTHS:	
# of:	8 ft.	12 ft.
4' Rails	2	3
End Stops Set	1	1
Rail Brackets	4	6
Top Hook Guides	2	2
Bottom Rollers	2	2
Splice Kit	1	2
7-Rung Support Kit - for 8 ft. Ladders		


8-Rung Support Kit - for 9 ft. Ladders



Finishes



Ladders - 16" Wide



8 ft. (92") Ladder Kits

Part #	Ladder Finish/Wood	Hardware Finish/Metal	Track Length
SHLH-92M-BK-12	Finished Maple	Black	12 ft.
SHLH-92M-BK-8	Finished Maple	Black	8 ft.
SHLH-92M-BK-UNF-12	Unfinished Maple	Black	12 ft.
SHLH-92M-BK-UNF-8	Unfinished Maple	Black	8 ft.
SHLH-92M-BZ-12	Finished Maple	Bronze	12 ft.
SHLH-92M-BZ-8	Finished Maple	Bronze	8 ft.
SHLH-92M-BZ-UNF-12	Unfinished Maple	Bronze	12 ft.
SHLH-92M-BZ-UNF-8	Unfinished Maple	Bronze	8 ft.
SHLH-92M-PB-U-12	Unfinished Maple	Polished Brass	12 ft.
SHLH-92M-POLB-12	Finished Maple	Polished Brass	12 ft.
SHLH-92M-POLB-8	Finished Maple	Polished Brass	8 ft.
SHLH-92M-POLB-U8	Unfinished Maple	Polished Brass	8 ft.
SHLH-92M-SN-12	Finished Maple	Satin Nickel	12 ft.
SHLH-92M-SN-8	Finished Maple	Satin Nickel	8 ft.
SHLH-92M-SN-UNF-12	Unfinished Maple	Satin Nickel	12 ft.
SHLH-92M-SN-UNF8	Unfinished Maple	Satin Nickel	8 ft.
SHLH-92RO-BK-12	Finished Red Oak	Black	12 ft.
SHLH-92RO-BK-8	Finished Red Oak	Black	8 ft.
SHLH-92RO-BK-U-12	Unfinished Red Oak	Black	12 ft.
SHLH-92RO-BK-UNF-8	Unfinished Red Oak	Black	8 ft.
SHLH-92RO-BZ-12	Finished Red Oak	Bronze	12 ft.
SHLH-92RO-BZ-8	Finished Red Oak	Bronze	8 ft.
SHLH-92RO-BZ-U12	Unfinished Red Oak	Bronze	12 ft.
SHLH-92RO-BZ-UNF-8	Unfinished Red Oak	Bronze	8 ft.
SHLH-92RO-PB-U-12	Unfinished Red Oak	Polished Brass	12 ft.
SHLH-92RO-PB-U8	Unfinished Red Oak	Polished Brass	8 ft.
SHLH-92RO-POLB-12	Finished Red Oak	Polished Brass	12 ft.
SHLH-92RO-POLB-8	Finished Red Oak	Polished Brass	8 ft.
SHLH-92RO-SN-12	Finished Red Oak	Satin Nickel	12 ft.
SHLH-92RO-SN-8	Finished Red Oak	Satin Nickel	8 ft.
SHLH-92RO-SN-U12	Unfinished Red Oak	Satin Nickel	12 ft.
SHLH-92RO-SN-UNF8	Unfinished Red Oak	Satin Nickel	8 ft.

9 ft. (107") Ladder Kits

Ladder		Hardware	Track
Part #	Finish/Wood	Finish/Metal	Length
SHLH-107M-BK-12	Finished Maple	Black	12 ft.
SHLH-107M-BK-8	Finished Maple	Black	8 ft.
SHLH-107M-BK-U-12	Unfinished Maple	Black	12 ft.
SHLH-107M-BK-UNF-8	Unfinished Maple	Black	8 ft.
SHLH-107M-BZ-12	Finished Maple	Bronze	12 ft.
SHLH-107M-BZ-8	Finished Maple	Bronze	8 ft.
SHLH-107M-BZ-U-12	Unfinished Maple	Bronze	12 ft.
SHLH-107M-BZ-UNF-8	Unfinished Maple	Bronze	8 ft.
SHLH-107M-PB-U-12	Unfinished Maple	Polished Brass	12 ft.
SHLH-107M-POLB-12	Finished Maple	Polished Brass	12 ft.
SHLH-107M-POLB-8	Finished Maple	Polished Brass	8 ft.
SHLH-107M-POLB-U8	Unfinished Maple	Polished Brass	8 ft.
SHLH-107M-SN-12	Finished Maple	Satin Nickel	12 ft.
SHLH-107M-SN-8	Finished Maple	Satin Nickel	8 ft.
SHLH-107M-SN-U12	Unfinished Maple	Satin Nickel	12 ft.
SHLH-107M-SN-UNF-8	Unfinished Maple	Satin Nickel	8 ft.
SHLH-107RO-BK-12	Finished Red Oak	Black	12 ft.
SHLH-107RO-BK-8	Finished Red Oak	Black	8 ft.
SHLH-107RO-BK-U12	Unfinished Red Oak	Black	12 ft.
SHLH-107RO-BK-U8	Unfinished Red Oak	Black	8 ft.
SHLH-107RO-BZ-12	Finished Red Oak	Bronze	12 ft.
SHLH-107RO-BZ-8	Finished Red Oak	Bronze	8 ft.
SHLH-107RO-BZ-U-12	Unfinished Red Oak	Bronze	12 ft.
SHLH-107RO-BZ-U8	Unfinished Red Oak	Bronze	8 ft.
SHLH-107RO-PB-U-12	Unfinished Red Oak	Polished Brass	12 ft.
SHLH-107RO-POLB-12	Finished Red Oak	Polished Brass	12 ft.
SHLH-107RO-POLB-8	Finished Red Oak	Polished Brass	8 ft.
SHLH-107RO-POLB-U8	Unfinished Red Oak	Polished Brass	8 ft.
SHLH-107RO-SN-12	Finished Red Oak	Satin Nickel	12 ft.
SHLH-107RO-SN-8	Finished Red Oak	Satin Nickel	8 ft.
SHLH-107RO-SN-U-12	Unfinished Red Oak	Satin Nickel	12 ft.
SHLH-107RO-SN-U8	Unfinished Red Oak	Satin Nickel	8 ft.

Steel Hinges: 5/8" Radius Corner Button Tipped - Steel Pin - PLAIN BEARING





Oil Rubbed Bronze







Satin Chrome Finish



Polished Chrome Finish

Part #	Size	Finish	Gauge
HN-RCH3-RB	3.5" x 3.5"	Oil Rubbed Bronze US10B	.088"
HN-RCH3-SC	3.5" x 3.5"	Satin Chrome US26D	.088"
HN-RCH4-SC	4" x 4"	Satin Chrome US26D	.10"
HN-RCH3-PB	3.5" x 3.5"	Fully Polished Brass US3FP	.088"
HN-RCH4-PB	4" x 4"	Fully Polished Brass US3FP	.10"
HN-RCH3-PC	3.5" x 3.5"	Polished Chrome US26	.088"
HN-RCH4-PC	4" x 4"	Polished Chrome US26	.10"

Steel Hinges: Square Corner Button Tipped - Steel Pin - PLAIN BEARING



Oil Rubbed Bronze Finish



Polished Brass Finish



Satin Chrome Finish



Polished Chrome Finish

Part #	Size	Finish	Gauge
HN-SCH3-RB	3.5" x 3.5"	Oil Rubbed Bronze US10B	.088"
HN-SCH4-SC	4" x 4"	Satin Chrome US26D	.10"
HN-SCH3-PB	3.5" x 3.5"	Fully Polished Brass US3FP	.088"
HN-SCH4-PB	4" x 4"	Fully Polished Brass US3FP	.10"
HN-SCH3-PC	3.5" x 3.5"	Polished Chrome US26	.088"
HN-SCH4-PC	4" x 4"	Polished Chrome US26	.10"

Double Action Spring Hinges:



- · Allows door to swing back and forth
- For doors up to 1-1/8" thick
- Screws & instructions included
- Dimensions: 4-7/8" high x 3-1/2" wide

Part #	Color
DAH-BRS	Brass

DOOR STOPS

Low Profile Solid Brass Door Stop





- High impact vinyl bumper.
- 1-3/4" overall dia.
- Concealed screw mount installation.
- Installation anchor & screw included.

DS-7100 (Polished Brass)
DS-7100-SC (Satin Chrome)

High Profile Solid Brass Door Stop



- High impact vinyl bumper.
- 1-3/4" overall dia.
- Concealed screw mount installation.
- Installation anchor & screw included.

DS-7101-SC (Satin Chrome)

Heavy Duty Door Floor Stop

- Cast aluminum construction
- 3-5/8" projection with 2-1/8" base plate
- 3 hole surface mount





DS-735AL (Aluminum) DS-735DB (Dull Brass)

- Cast aluminum construction
- 3" projection with 2-1/8" base diameter
- Replaceable non-marring rubber bumpers





DS-835AL (Aluminum) DS-835DB (Dull Brass)




304 Stainless Steel Hydraulic Door Closer



- 304 Stainless steel body with aluminum cylinder and steel pin/shaft.
- Bracket arm catches the roller for self closing at approximately 10°.
- Silent operation, the hydraulic cylinder absorbs shock, preventing
- Works with a maximum door width of 43-5/16".





Door Stopper & Holder


43-5/16*






Part #	Material	Color	
SMDH/IVY	Polycarbonate	lvory	
SMDH/BRN	ABS	Brown	

- · Strong magnet holds door in the open position
- 17.6 lbs. of magnetic force per assembly
- Can be mounted on either the floor or the wall
- Optional anchor bolt available, (ANCHOR-SMDH) please inquire






304 Stainless Steel Door Stopper

DSD-02/S

Finish: Satin

- · Floor mount
- Rubber ring prevents damage to door and wall
- Supplied with screw and plastic expansion anchor





Part #

FC-50

FC-65

HOOKS

Material: 304 Stainless Steel • Finish: Mirror Matching Stainless Steel Screws Included

Load

Capacity

22 lbs.

26 lbs.









Material: 304 Stainless Steel • Finish: Satin Matching Stainless Steel Screws Included





Load			Overall
Part #	Capacity	Proj.	Height
HJT-55	22 lbs.	1-19/64"	2.165"
HJT-70	17.6 lbs.	1-21/32"	2.756"

COAT HOOK

Proj.

1-27/32"

2-9/16"

Overall

Height

1-47/64"

1-29/64"

Material: 303, 304 Stainless Steel • Finish: Satin Matching Stainless Steel Screws Included

Load

Capacity

22 lbs.







Material: 304 Stainless Steel • Finish: Satin
Matching Stainless Steel Screws Included





Part #	Load Capacity	Proj.	Overall Height	
HJ-50	22 lbs.	53/64"	1-27/32"	

HOOK

HOOK

Proj.

1-11/16"

Material: 304 Stainless Steel • Finish: Mirror Matching Stainless Steel Screws Included

Part #

DSH-01









Part #

EP-25

EP-40

Part #

JF-120



Overall Height

63/64"

1-19/64"





(19)
M

	Load Part # Capacity		Proj.	Overall Height	
Ī	EL-25	44 lbs.	1-1/32"	1-37/64"	
	EL-30	44 lbs.	1-17/64"	2-9/64"	

LARGE UTILITY HOOKS

Material: 303 Stainless Steel • Finish: Mirror Matching Stainless Steel Screws Included



Load

Capacity

48 lbs.

Load

Capacity

44 lbs.

44 lbs.



Proj.

63/64"


1-17/64"








	Load		Overall
Part #	Capacity	Proj.	Height
JF-45	22 lbs.	1-25/32"	2-27/32"
JF-70	22 lbs.	2-43/64"	4-23/32"
JF-110	26 lbs.	4-21/32"	7-7/8"







Under Table & Bar Hooks

- Two black PVC 2-1/4" long hooks comes with four 1" long wood screws
- · It's easy to install and engineered for durability
- Increase customer convenience and security
- · Ideal way to keep pocketbooks off the floor and out of the way
- These will avoid tripping hazards and keep the purse clean



S8-HOOK



FORK HOOK

Material: 316 Stainless Steel • Finish: Mirror Matching Stainless Steel Screws Included









Part #	Load Capacity	Proj.	Overall Height
EU-50	44 lbs.	1-1/2"	1-31/32"
EU-72	66 lbs.	2-3/64"	2-53/64"



ROTATING SPECIALTY HOOK

Material: 304 Stainless Steel • Finish: Satin Matching Stainless Steel Screws Included








Part #	Load Capacity	Proj.	Overall Height
RF-50	6.6 lbs.	1-31/32"	1-17/32"


SWING SPECIALTY HOOK

Material: 304 Stainless Steel • Finish: Polished

Matching Stainless Steel Screws Included



• Ideal for vibration or shock applications













BUTTERFLY SPECIALTY HOOK

Material: 304 Stainless Steel • Finish: Polished Matching Stainless Steel Screws Included







• Flush or corner mount

• Rotates 360°

• Applicable angle: 90°-270°



Part#	Load Capacity	Proj.	Overall Height
TZ-360	6-13 lbs.	1-41/64"	1-27/64"

1-3/4" 1-11/16"

LATCH HOOKS

Material: 316 Stainless Steel • Finish: Polished

Matching Stainless Steel Screws Included



• Ideal for vibration or shock applications







	Load		Overall	
Part #	Capacity	Proj.	Height	
EN-K84	44 lbs.	1-1/2"	3-5/16"	
EN-K120	44 lbs.	2-1/8"	4-23/32"	

Overall

Overall

Height

43/64"

25/32""

29/32"

	Load		Overall
Part #	Capacity	Proj.	Height
EN-R80	44 lbs.	1-1/4"	3-5/32"

SWINGING HANGER HOOKS

Material: 304 Stainless Steel • Finish: Satin Matching Stainless Steel Screws Included









	Load		Overall	
Part #	Capacity	Proj.	Height	
HM-250/V	6.6 lbs.	9-23/32"	2-7/16"	ĺ

Proj. Height Capacity Part # HM-250/Y 6.6 lbs. 9-23/32 1-1/16"

Load

willian the first of the first

Part #

TY-25

TY-30

TY-35-15

Load

Capacity

6.6 lbs.

15.4 lbs.

15.4 lbs.

WIRE HOOKS

Material: 304 Stainless Steel • Finish: Polished Matching Stainless Steel Screws Included




D #	Load	D	Overall		
Part #	Capacity	Proj.	Height		
TF-20	6.6 lbs.	13/16"	25/32"		
TF-30	15.4 lbs.	1-5/32"	1-1/32"		
TF-35	26 lbs.	1-19/32"	1-3/8"		





	Load		Overall
Part #	Capacity	Proj.	Height
TL-20	11 lbs.	29/32"	25/32"
TL-30	11 lbs.	1-5/32"	63/64"
TL-40	26 lbs.	1-19/32"	1-11/32"



Proj.

1-1/16"

1-7/32"

1-7/16"



Material: High Strength Polymer Resin

*Available in Almond, Black, Grey, Tan, Taupe, Snow White, Wood Grain & Chocolate Brown

- Great for floor, ceiling or wall applications
- "Finger tip" control
- Filter cloth pins

CLASSIC



Part #	*Colors	Size	Free Area	Pcs Per Carton
HVC-HR410-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 10"	13.8 Sq. In.	20
HVC-HR410-*	Wood Grain (WG)	4" x 10"	13.8 Sq. In.	20
HVC-HR412-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 12"	16.9 Sq. In.	25
HVC-HR412-*	Wood Grain (WG)	4" x 12"	16.9 Sq. In.	25

DESIGNER



Part #	*Colors	Size	Free Area	Pcs Per Carton
HVC-HR410DG-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 10"	13.8 Sq. In.	20
HVC-HR410DG-*	Wood Grain (WG)	4"x 10"	13.8 Sq. In.	20

Material: High Strength Polymer Resin

Available in Snow White



- Screw holes on each size of vent and an extra in the center for grilles 20" or wider
- Includes white painted screws



FLUSH MOUNT

3/8" depth

			PCS Per	
Part #	Size	Free Area	Carton	
HVC-RGFLU-66WH	6" x 6"	22.7 Sq. In.	40	
HVC-RGFLU-86WH	8" x 6"	30.00 Sq. In.	40	
HVC-RGFLU-106WH	10" x 6"	37.7 Sq. In.	40	
HVC-RGFLU-126WH	12" x 6"	45.4 Sq. In.	40	
HVC-RGFLU-128WH	12" x 8"	60.5 Sq. In.	36	
HVC-RGFLU-148WH	14" x 8"	70.2 Sq. In.	36	

BASEBOARD MOUNT

3/4" depth

			Pcs Per
Part #	Size	Free Area	Carton
HVC-RGBAS-106WH	10" x 6"	37.7 Sq. In.	20
HVC-RGBAS-126WH	12" x 6"	45.4 Sq. In.	20
HVC-RGBAS-146WH	14" x 6"	52.7 Sq. In.	20
HVC-RGBAS-206WH	20" x 6"	75.3 Sq. In.	20
HVC-RGBAS-246WH	24" x 6"	90.8 Sq. In.	10
HVC-RGBAS-306WH	30" x 6"	113.5 Sq. In.	10
HVC-RGBAS-128WH	12" x 8"	60.5 Sq. In.	20
HVC-RGBAS-148WH	14" x 8"	70.2 Sq. In.	20
HVC-RGBAS-248WH	24" x 8"	121.00 Sq. In.	10
HVC-RGBAS-308WH	30" x 8"	151.2 Sg. In.	10

Phone:1-800-835-4400 • Fax:1-800-835-4403

A. SHUTTER DOGS are functional, metal ornaments used to hold your shutters open against the face of your house




Part #	Description	Shipping Weight Per Pr.
SHU30-L	Grape	2 lbs.
SHU30-P	Grape	2-1/2 lbs.
SHU32-L	Shell	1 lb.
SHU32-LA	Shell	2-3/4 lbs.
SHU35-L	Flower	1-1/2 lbs.
SHU35-LA	Flower	3 lbs.
SHU38-L	Star	1-1/2 lbs.
SHU38-LA	Star	3 lbs.
SHU76-L	"S"	1 lb.
SHU76-P	"S"	1-1/2 lbs.
SHU76-LA	"S"	2-3/4 lbs.
SHU95-L	Rat Tail	1-1/4 lbs.
SHU95-LA	Rat Tail	3 lbs.
SHU96-L	Old Phila Style	1-1/4 lbs.
SHU96-LA	Old Phila Style	2-3/4 lbs.

NOTE: Plate = 2" x 2", Sill mount is 15-3/4" wide







B. HEAVY DUTY L-TYPE SHUTTER HINGES



	•	T TRADITIONAL
3-3/4"	•	SHU4200
1-1/4" 	•	6"

		Pintle	Pintle	Shipping
escription	Offset	Plate	Dia.	Weight
Original	1/2"	1/8"Thick	3/8"Thick	1 lb. 8 oz.
Original	2-1/4"	1/8"Thick	3/8"Thick	2 lbs.
raditional	1-1/2"	1/8"Thick	3/8"Thick	1 lb. 14 oz.
raditional	2-1/4"	1/8"Thick	3/8"Thick	2 lb. 2 oz.
	Original Original raditional	Original 1/2" Original 2-1/4" raditional 1-1/2"	Plate Original 1/2" 1/8"Thick Original 2-1/4" 1/8"Thick Original 1-1/2" 1/8"Thick Original 1-1/2" 1/8"Thick	description Offset Plate Dia. Original 1/2" 1/8"Thick 3/8"Thick Original 2-1/4" 1/8"Thick 3/8"Thick raditional 1-1/2" 1/8"Thick 3/8"Thick





C. SHUTTER RINGS

		Shipping
Part #	Description	Weight
SHU750	Shutter Ring Pull	1 oz.



D. SHUTTER BOLTS

Part #	Description	Shipping Weight
SHU607	Original	1 lb. 2 oz.


Overall Size 12" x 2", Strike 4-1/8" x 2", Bolt Plate 7-7/8" x 2", Bolt 6-7/8" x 1" x 1/4", Plate Gauge #14, Projection 13/16"

SHU707 Traditional 1 lb. 1 oz.

Overall Size 10-3/4" x 2", Strike 3-1/2" x 2", Bolt Plate 7-1/4" x 2", Bolt 6-7/8" x 1" x 1/4", Plate Gauge #14, Projection 13/16"









E. SHUTTER HINGE PARTS - HINGES -

ONLY FOR 3/8" PIN DIA.

			Shipping
Part #	Length	Offset	Weight
SHU1110A	10"	1/2"	1 lb.
SHU1110D	10"	3-1/4"	1 lb. 4 oz.
SHU1112B	12"	1-1/2"	1 lb. 5 oz.
SHU1114A	14"	1/2"	1 lb. 7 oz.
SHU1114D	14"	3-1/4"	1 lb. 10 oz.
SHU1116B	16"	1-1/2"	1 lb. 10 oz.





PER PAIR, PINTLES
SOLD SEPARATELY

HINGES ARE SOLD



SHOWN WITH PINTLES

F. SHUTTER HINGE PARTS - PINTLES

3/8" PIN DIA.

Part #	Offset	Specs	Shipping Weight
SHU1000-2B	1-1/2"	Pin Dia. 3/8", Pin Height 1-7/8" Plate Size 1-1/2" x 3-1/2"	11 oz.
SHU1000-2C	2-1/4"		13 oz.
SHU1000-2D	3-1/4"		15 oz.
SHU2000-2A	1/2"	Pin Dia. 3/8", Pin Height 1-7/8" Plate Size 1-1/2" x 3-3/4"	12 oz.
SHU2000-2C	2-1/4"		15 oz.
SHU2000-2D	3-1/4"		17 oz.



SHU1000-2 ORIGINAL



SHU2000-2 TRADITIONAL